



2013 CATALOG

moving forward faster





XLR5 VELOCITY



1. Micro Metric™ adjustable stock allows the shooter to finely tune the stock for a precise fit.

4. Oversized bolt handle and bolt release operating buttons give the shooter a positive feel when using.



2. Removable recoil reducer included standard.



3. Competition tuned trigger for light crisp trigger pulls plus a micro adjustable trigger shoe to accommodate length-of-pull.




5. Frame available in Black Anodized or Titanium™ Silver.

6. Left hand eject model available.

7. Special stainless steel piston and enlarged gas ports for reliable function of light ammunition.



8. Weight distribution system includes (3) 1.48oz weights.



9. No tools required for Velocity rib to set point-of-impact from 50/50 to 90/10.

MODEL DESCRIPTION:

The Velocity is a new shotgun incorporating a long list of features never before available on semi-automatic shotguns. The most obvious feature is an adjustable point-of-impact rib. This ramp style rib starts at the rear of the action at 11mm wide and tapers to 9mm at the muzzle. The rib elevation is easily adjusted with a small thumb wheel at the muzzle end. Point-of impact is adjustable from a 50/50% to 90/10% pattern without the use of tools.

The Micro Metric™ adjustable stock compliments the adjustable rib, allowing the shooter to fine tune the gun for the perfect fit. Additionally, the stock incorporates a shim system for adjusting drop and cast. Another first is the Velocity's adjustable trigger for length-of-pull. It is the first adjustable trigger ever to be designed into a semi-automatic shotgun. There is also a standard weight system built into the fore-end cap that allows the shooter to alter the weight up to 4 ½ ounces in 1 ½ ounce increments. These features make the Velocity extremely versatile.

Durability and reliability cannot be compromised in a target shotgun. Unlike many semi-automatic shotguns described as target models, the Velocity is designed specifically for target shooting. It is calibrated and chambered for only 2 ¾" ammunition. The gas ports, action spring and stainless steel piston are all calibrated to allow the Velocity to reliably handle light loads. This gun is not for shooting ducks, turkeys or deer!

To reduce recoil and increase pattern performance the barrel is designed with a tapered bore called Tribore HP®. The bore diameter at the chamber end is overbored to .740" and gradually tapers to .725" at the muzzle end. The Exis HP® choke tubes are 92mm long and utilize a hyperbolic internal design to match the performance of the barrel. Five chokes are included with the Velocity. Additionally, the bolt release and bolt handle are oversized for competition use.

SPECIFICATIONS

Gauge:	12 Ga
Operation:	Stainless Steel Piston, gas operated
Barrel:	TRIBORE HP™
Barrel length:	30" - 32"
Chamber:	2.75"
Chokes:	5 EXIS HP™ Competition Choke Tubes
Frame finish:	Black Anodized or Titanium Silver
Stock:	Turkish Walnut with Adjustable Comb
Wood finish:	Matte, Hand Oiled
Weight:	8lbs 4oz.*
Case:	Hard Case
Proof test:	1630 BAR
Warranty:	5 years

* Average weight without included recoil reducer and balancer weights.



XLR5 VELOCITY LR

1. Micro Metric™ adjustable stock allows the shooter to finely tune the stock for a precise fit.



3. Competition tuned trigger for light crisp trigger pulls plus a micro adjustable trigger shoe to accommodate length-of-pull.

4. Oversized bolt handle and bolt release operating buttons give the shooter a positive feel when using.



2. Removable recoil reducer included standard.



5. Available in two grades – Standard and Titanium™ Silver.

6. Velocity LR (Low Rib) concept adds 4 1/2" to the sighting plane.

7. Left hand eject model available.

8. Special stainless steel piston and enlarged gas ports for reliable function of light ammunition.



9. Weight distribution system includes (3) 1.48oz weights.



10. EXIS HP™ Chokes come standard

MODEL DESCRIPTION:

Once in a great while something comes along that is so obvious that it makes you say “why didn’t I think of that?” The Velocity LR (Long Rib) concept is exactly that. We asked ourselves why a semi-auto barrel rib starts at the front of the receiver, a full 4 1/2” further forward than an over-and-under shotgun. Doesn’t that unnecessarily shorten the sighting plane? The answer is yes, but we can do better. The new Velocity LR has an innovative ramp style fixed rib that starts at the back of the receiver giving the shooter the maximum length sighting plain for better target acquisition and tracking. The bottom line is that a better sight picture equals more broken targets.

The Velocity LR combines all of the other ground breaking innovations that have made the XLR5 Velocity so popular last year. FABARM Velocity LR – *Moving Forward Faster.*

SPECIFICATIONS


Gauge:	12 Ga
Operation:	Stainless Steel Piston, Gas Operated
Barrel:	TRIBORE HP™
Barrel Length:	30" - 32"
Chamber:	2.75"
Chokes:	5 EXIS HP™ Competition Choke Tubes
Frame Finish:	Black Anodized or Titanium™
Stock:	Turkish Walnut with Adjustable Comb
Stock Finish:	Matte, Hand Oiled
Weight:	8lbs 4oz.*
Case:	Hard Case
Proof Test:	1630 BAR
Warranty:	5 years

* Average weight without included recoil reducer and balancer weights.




AXIS RS 12 Sporting

1. OPTIONAL: Micro Metric™ adjustable stock allows the shooter to finely tune the stock for a precise fit.



2. Accepts optional Kinetik recoil reducer.




3. Competition tuned trigger for light crisp trigger pulls plus a micro adjustable trigger shoe to accommodate length-of-pull.


4. Adjustable fore-end mechanism to adjust action tension.

5. Heavy duty 43mm wide action ensures years of heavy use.

6. Tapered Tribore HP™ barrel bores enhance performance while reducing recoil.

7. EXIS HP™ competition choke tubes with hyperbolic design to get the maximum performance from the Tribore system barrels.





MODEL DESCRIPTION:

When it comes to shooting an Axis Sporting in competition, you are being everything but Sporting. The Axis Sporting is the whole package – balance, durability, good trigger, barrel performance, perfect stock dimensions, and low recoil. The Axis barrels feature the advanced TRIBORE HP™ tapered bores that lower recoil and reduce the need for excessively long forcing cones. Each gun comes with five EXIS HP™ choke tubes with a proprietary hyperbolic design that is a ballistic match to the tapered barrel bores. The result is devastating performance down range with all types of shot sizes and velocities.

The Axis action was purpose built as a target gun. The heavy duty 43mm wide action combined with a monolithic locking lug makes the Axis an extremely durable platform. The fore-end iron utilizes an adjustable mechanism to allow the action tension to be tightened at will for ease of service. An adjustable trigger features a light, crisp trigger pull. Stocks are made from Turkish walnut and finished with a matte oil finish. All Axis stocks accept the optional Fabarm KINETIK™ recoil reducer that is easy to install and remove to tune the balance of the gun. The Fabarm Micro Metric™ adjustable comb and left hand stocks are available as an option.

Using a FABARM Axis Sporting in competition is not cheating, but it is close.

SPECIFICATIONS

Gauge:	12 Ga
Barrel:	TRIBORE HP™
Barrel Length:	30" - 32"
Chokes:	5 EXIS HP™ Competition Choke Tubes
Frame:	Steel
Frame finish:	Titanium™
Stock:	Semi-deluxe Turkish Walnut (Adjustable Comb is Optional)
Stock Finish:	Matte, Hand Oiled
Weight:	8lbs. 7oz.*
Case:	Hard Case
Proof Test:	1630 BAR
Warranty:	5 years

* Average weight without included recoil reducer.



AXIS RS 12 Trap

1. Standard Micro Metric™ adjustable stock allows the shooter to finely tune the stock for a precise fit.



2. Removable recoil reducer included standard.



3. Competition tuned trigger for light crisp trigger pulls and a micro adjustable trigger shoe to accommodate length-of-reach adjustments.

4. Action tension adjustment mechanism in fore-end.

5. Tapered Tribore HP™ barrel bores enhance performance while reducing recoil.

6. Point of impact easily adjustable between 50/50 and 100 high without use of tools.



7. EXIS HP™ competition choke tubes with hyperbolic design to get the maximum performance from the Tribore system barrels.



8. Available as a combo set.



MODEL DESCRIPTION:

What if someone could create a world class trap shotgun at one third of the price of current offerings? It would have to have adjustable ribs on unsingle and over-and-under barrels. State-of-the art tapered barrel bores and hyperbolic 17-4PH stainless steel chokes would be a competitive advantage. A Turkish walnut Monte Carlo stock incorporating a highly adjustable comb would be nice and while they are at it lets add the capability to easily install an optional recoil reducer. Plus, any good trap gun would have to include a light crisp trigger pull with robust automatic ejectors. Finally, durability and a comprehensive warranty that is backed up by great customer service would be a necessity. Introducing the FABARM Axis Trap – you’re welcome.

SPECIFICATIONS

Gauge:	12 Ga
Barrel:	TRIBORE HP™
Barrel Length:	32" Over Under – 34" Unsingle
Chokes:	5 EXIS HP™ Competition Chokes
Frame:	Steel
Frame Finish:	Titanium™
Stock:	Semi-deluxe Turkish Walnut with Adjustable Comb
Stock Finish:	Matte, Hand Oiled
Weight:	8lbs. 10oz.*
Case:	Hard Case
Proof Test:	1630 BAR
Warranty:	5 years

* Average weight without included recoil reducer.



ELOS Deluxe



1. Deluxe Turkish walnut with a satin sheen oil finish.

2. Selective triggers and automatic ejectors.

3. Contemporary scroll and ribbon engraving highlighted by gold game scenes.

3,4

4. Elegant rounded action.

5. Semi-schnable fore-end shape.

7. Chrome lined barrels and chambers.

6. Tapered Tribore HP™ barrel bores enhance performance while reducing recoil.

8. INNER HP™ competition choke tubes with hyperbolic design to get the maximum performance from the Tribore system barrels.

MODEL DESCRIPTION:

The ELOS Deluxe brings a whole new class of refinement into an affordable price range. The gracefully rounded action is embellished with a contemporary style game scene engraving featuring scroll and ribbon accents. Every ELOS Deluxe has a pistol grip style stock and semi-Schnabel fore-end crafted from a premium grade of Turkish walnut with a satin oil finish.

What really separates the ELOS from other shotguns in its price range is not just its elegant appearance; it is more than you can see. The ELOS barrel incorporates the FABARM TRIBORE HP™ tapered bore and five INNER HP™ chokes to insure lethal performance down range. All ELOS barrels are steel proofed to the highest pressures possible (1630 BAR) ensuring compatibility with a large variety of ammunition including steel shot. The trigger is selective and the ejectors are automatic increasing the guns versatility.

If you are looking for the fastest possible handling the ELOS Deluxe AL is the perfect choice. At almost a pound lighter, it will be a pleasure to carry all day, even in tight cover. Additionally, the ELOS Deluxe and ELOS Deluxe AL offer a high level of reliability backed by one of the most extensive warranties and respected customer service in the industry.

SPECIFICATIONS

Gauge:	20 Ga or 28 Ga
Barrel:	TRIBORE HP™
Barrel Length:	28"
Chokes:	5 INNER HP™ Choke Tubes
Frame:	Steel or Aluminum Alloy
Frame Finish:	Titanium™
Stock:	Deluxe Turkish Walnut
Stock Finish:	Matte, Hand Oiled
Weight:	6lbs. 9oz. Elos Deluxe, 5lbs. 14oz. Elos Deluxe AL*
Case:	INTEGRALE™ Case
Proof Test:	1630 BAR
Warranty:	5 years

* Average weight.



ELOS B



If you have spent many long hours in the field, you learn to appreciate good equipment. An experienced hunter comes to understand what makes a great firearm. High volume mass produced shotguns are a good choice for a novice to start hunting with, but the Fabarm ELOS B is the shotgun you look to when you truly understand the difference. After experiencing countless flushes it becomes obvious that you need a gun that has the balance and pointing capabilities of the ELOS. With a round action and trim stock it is designed to help you keep up with the fastest wild birds. The ELOS barrel incorporates the Fabarm TRIBORE HP™ tapered bore and five INNER HP™ chokes to insure lethal performance down range. Crisp trigger pulls round out the package.

For knowledgeable hunters seeking the fastest handling over-and-under that is easy to carry all day, the ultra light ELOS B AL is the perfect companion. At almost a pound lighter, it will ensure that you have the competitive advantage over the fastest game birds.

The ELOS B’s and ELOS B AL offer a high level of reliability backed by one of the most extensive warranties in the industry. The best news is that a gun of this quality comes at a price that will make your hunting buddies envious – now wouldn’t that be terrible.

- 1. Semi-deluxe Turkish walnut with a satin sheen oil finish.
- 2. Selective triggers and automatic ejectors.
- 3. Color case hardened round body action
- 4. Elegant rounded action.
- 5. Semi-schnable fore-end shape.
- 7. Chrome lined barrels and chambers.

6. Tapered Tribore HP™ barrel bores enhance performance while reducing recoil.




8. INNER HP™ competition choke tubes with hyperbolic design to get the maximum performance from the Tribore system barrels.

SPECIFICATIONS

Gauge:	20 Ga or 28 Ga
Barrel:	TRIBORE HP™
Barrel Length:	28"
Chokes:	5 INNER HP™ Choke Tubes
Frame:	Steel or Aluminum Alloy
Frame Finish:	ELOS B - Case Colored, ELOS B AL - Titanium™
Stock:	Semi-deluxe Turkish walnut
Stock Finish:	Matte, Hand Oiled
Weight:	6lbs. 9oz. Elos B, 5lbs. 14oz. Elos B AL*
Case:	INTEGRALE™ Case
Proof Test:	1630 BAR
Warranty:	5 years

* Average weight

XLR5 VELOCITY



All stock dimensions are measured with the rib in open position (50/50% point-of-impact), with the trigger in the middle position, and shim DX right. All stock specifications are approximate and subject to change without notice.

AXIS Trap



All stock dimensions are measured with the rib in open position (50/50% point-of-impact), with the trigger in the middle position. All stock specifications are approximate and subject to change without notice.

XLR5 VELOCITY LR




All stock dimensions are measured with the trigger in the middle position, and shim DX right. All stock specifications are approximate and subject to change without notice.

ELOS Deluxe



All stock specifications are approximate and subject to change without notice.

AXIS RS 12 Sporting



All stock dimensions are measured with the trigger in the middle position. All stock specifications are approximate and subject to change without notice.

ELOS B



All stock specifications are approximate and subject to change without notice.



700 Lake Street
Cambridge, MD 21613
410.901.1260
www.fabarmusa.com